

Fuses, Supplemental - Component

[See General Information for Fuses, Supplemental - Component](#)

SHENZHEN JDT FUSE INDUSTRIAL CO LTD

E486200

ROOM 02, 3F, BLDG Y1, BANTIAN CREATIVE PARK

5 YAYUAN ROAD

BANTIAN, LONGGANG DISTRICT

SHENZHEN, GUANDONG 518000 CHINA

Supplemental fuses

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
JFC5Fxxxxx	5.2 x 20 (0.20 x 0.79)	0.2 - 0.25	125Vac	10000
		0.3 - 2	125Vac	10000
		2.5 - 10	125Vac	10000
		0.2 - 0.25	250Vac	35
		0.3 - 1	250Vac	35
		1.25 - 2	250Vac	100
		2.5 - 3.15	250Vac	100
		4 - 10	250Vac	200
JFC5Txxxxx	5.2 x 20 (0.20 x 0.79)	0.2 - 0.25	125Vac	10000
		0.3 - 2	125Vac	10000
		2.5 - 10	125Vac	10000
		0.2 - 0.25	250Vac	35
		0.3 - 1	250Vac	35
		1.25 - 2	250Vac	100
		2.5 - 3.15	250Vac	100
		4 - 10	250Vac	200
JFG5Fxxxxx	5.2 x 20 (0.20 x 0.79)	0.2 - 0.25	125Vac	10000
		0.3 - 2	125Vac	10000
		2.5 - 10	125Vac	10000

		0.2 - 0.25	250Vac	35
		0.3 - 1	250Vac	35
		1.25 - 2	250Vac	100
		2.5 - 3.15	250Vac	100
		4 - 10	250Vac	200
JFG5Txxxxx	5.2 x 20 (0.20 x 0.79)	0.2 - 0.25	125Vac	10000
		0.3 - 2	125Vac	10000
		2.5 - 10	125Vac	10000
		0.2 - 0.25	250Vac	35
		0.3 - 1	250Vac	35
		1.25 - 2	250Vac	100
		2.5 - 3.15	250Vac	100
		4 - 10	250Vac	200

Supplemental fuses: filled-tube, surface mount, cartridge enclosed

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
JFC0456-xxxxFS	10.25 x 3.2 x 3.2 (0.40 x 0.13 x 0.13)	0.1 - 2	300Vac	100
		0.1 - 2	350Vac	100
		0.1 - 2	400Vac	100
		0.1 - 2	500Vac	100
		0.1 - 2	600Vac	100
		0.1 - 2	300Vdc	100
		0.1 - 2	350Vdc	100
		0.1 - 2	400Vdc	100
		0.1 - 2	500Vdc	100
		0.1 - 2	600Vdc	100
		0.1 - 5	300Vac	150
		0.1 - 5	350Vac	150
		0.1 - 5	400Vac	150
		0.1 - 5	500Vac	150
		0.1 - 5	300Vdc	150
		0.1 - 5	350Vdc	150

		0.1 - 5	400Vdc	150
		0.1 - 5	500Vdc	150
		0.05 - 60	125Vac	200
		0.05 - 60	250Vac	200
		0.05 - 60	300Vac	200
		0.05 - 60	125Vdc	200
		0.05 - 60	250Vdc	200
		0.05 - 60	300Vdc	200
		0.05 - 60	72Vdc	500
JFC0456-xxxxFS1	12.5 x 4.5 x 4.5 (0.49 x 0.18 x 0.18)	0.1 - 5	300Vac	100
		0.1 - 5	350Vac	100
		0.1 - 5	400Vac	100
		0.1 - 5	500Vac	100
		0.1 - 5	600Vac	100
		0.1 - 5	300Vdc	100
		0.1 - 5	350Vdc	100
		0.1 - 5	400Vdc	100
		0.1 - 5	500Vdc	100
		0.1 - 5	600Vdc	100
		0.1 - 60	125Vac	200
		0.1 - 60	250Vac	200
		0.1 - 60	300Vac	200
		0.1 - 60	125Vdc	200
		0.1 - 60	250Vdc	200
		0.1 - 60	300Vdc	200
		0.1 - 60	125Vdc	500
		0.1 - 60	72Vdc	1000
JFC0456-xxxxTS	10.25 x 3.2 x 3.2 (0.40 x 0.13 x 0.13)	0.1 - 2	300Vac	100
		0.1 - 2	350Vac	100
		0.1 - 2	400Vac	100
		0.1 - 2	500Vac	100

		0.1 - 2	600Vac	100
		0.1 - 2	300Vdc	100
		0.1 - 2	350Vdc	100
		0.1 - 2	400Vdc	100
		0.1 - 2	500Vdc	100
		0.1 - 2	600Vdc	100
		0.1 - 5	300Vac	150
		0.1 - 5	350Vac	150
		0.1 - 5	400Vac	150
		0.1 - 5	500Vac	150
		0.1 - 5	300Vdc	150
		0.1 - 5	350Vdc	150
		0.1 - 5	400Vdc	150
		0.1 - 5	500Vdc	150
		0.05 - 60	125Vac	200
		0.05 - 60	250Vac	200
		0.05 - 60	300Vac	200
		0.05 - 60	125Vdc	200
		0.05 - 60	250Vdc	200
		0.05 - 60	300Vdc	200
		0.05 - 60	72Vdc	500
JFC0456-xxxxTS1	12.5 x 4.5 x 4.5 (0.49 x 0.18 x 0.18)	0.1 - 5	300Vac	100
		0.1 - 5	350Vac	100
		0.1 - 5	400Vac	100
		0.1 - 5	500Vac	100
		0.1 - 5	600Vac	100
		0.1 - 5	300Vdc	100
		0.1 - 5	350Vdc	100
		0.1 - 5	400Vdc	100
		0.1 - 5	500Vdc	100
		0.1 - 5	600Vdc	100
		0.1 - 60	125Vac	200

		0.1 - 60	250Vac	200
		0.1 - 60	300Vac	200
		0.1 - 60	125Vdc	200
		0.1 - 60	250Vdc	200
		0.1 - 60	300Vdc	200
		0.1 - 60	125Vdc	500
		0.1 - 60	72Vdc	1000
JFC0461-xxxxFS	10.25 x 3.2 x 3.2 (0.40 x 0.13 x 0.13)	0.1 - 2	300Vac	100
		0.1 - 2	350Vac	100
		0.1 - 2	400Vac	100
		0.1 - 2	500Vac	100
		0.1 - 2	600Vac	100
		0.1 - 2	300Vdc	100
		0.1 - 2	350Vdc	100
		0.1 - 2	400Vdc	100
		0.1 - 2	500Vdc	100
		0.1 - 2	600Vdc	100
		0.1 - 5	300Vac	150
		0.1 - 5	350Vac	150
		0.1 - 5	400Vac	150
		0.1 - 5	500Vac	150
		0.1 - 5	300Vdc	150
		0.1 - 5	350Vdc	150
		0.1 - 5	400Vdc	150
		0.1 - 5	500Vdc	150
		0.05 - 60	125Vac	200
		0.05 - 60	250Vac	200
		0.05 - 60	300Vac	200
		0.05 - 60	125Vdc	200
		0.05 - 60	250Vdc	200
		0.05 - 60	300Vdc	200
		0.05 - 60	72Vdc	500

JFC0461-xxxxFS1	12.5 x 4.5 x 4.5 (0.49 x 0.18 x 0.18)	0.1 - 5	300Vac	100
		0.1 - 5	350Vac	100
		0.1 - 5	400Vac	100
		0.1 - 5	500Vac	100
		0.1 - 5	600Vac	100
		0.1 - 5	300Vdc	100
		0.1 - 5	350Vdc	100
		0.1 - 5	400Vdc	100
		0.1 - 5	500Vdc	100
		0.1 - 5	600Vdc	100
		0.1 - 60	125Vac	200
		0.1 - 60	250Vac	200
		0.1 - 60	300Vac	200
		0.1 - 60	125Vdc	200
		0.1 - 60	250Vdc	200
		0.1 - 60	300Vdc	200
		0.1 - 60	125Vdc	500
		0.1 - 60	72Vdc	1000
JFC0461-xxxxTS	10.25 x 3.2 x 3.2 (0.40 x 0.13 x 0.13)	0.1 - 2	300Vac	100
		0.1 - 2	350Vac	100
		0.1 - 2	400Vac	100
		0.1 - 2	500Vac	100
		0.1 - 2	600Vac	100
		0.1 - 2	300Vdc	100
		0.1 - 2	350Vdc	100
		0.1 - 2	400Vdc	100
		0.1 - 2	500Vdc	100
		0.1 - 2	600Vdc	100
		0.1 - 5	300Vac	150
		0.1 - 5	350Vac	150
		0.1 - 5	400Vac	150

		0.1 - 5	500Vac	150
		0.1 - 5	300Vdc	150
		0.1 - 5	350Vdc	150
		0.1 - 5	400Vdc	150
		0.1 - 5	500Vdc	150
		0.05 - 60	125Vac	200
		0.05 - 60	250Vac	200
		0.05 - 60	300Vac	200
		0.05 - 60	125Vdc	200
		0.05 - 60	250Vdc	200
		0.05 - 60	300Vdc	200
		0.05 - 60	72Vdc	500
JFC0461-xxxxTS1	12.5 x 4.5 x 4.5 (0.49 x 0.18 x 0.18)	0.1 - 5	300Vac	100
		0.1 - 5	350Vac	100
		0.1 - 5	400Vac	100
		0.1 - 5	500Vac	100
		0.1 - 5	600Vac	100
		0.1 - 5	300Vdc	100
		0.1 - 5	350Vdc	100
		0.1 - 5	400Vdc	100
		0.1 - 5	500Vdc	100
		0.1 - 5	600Vdc	100
		0.1 - 60	125Vac	200
		0.1 - 60	250Vac	200
		0.1 - 60	300Vac	200
		0.1 - 60	125Vdc	200
		0.1 - 60	250Vdc	200
		0.1 - 60	300Vdc	200
		0.1 - 60	125Vdc	500
		0.1 - 60	72Vdc	1000

Supplemental fuses: pigtail leads